

## Golden IPMA Priority Plant List

<b>REGIONAL EDRR</b> - High risk invasive plant species not currently known within the Columbia Shuswap Regional District boundary or brand new incursions that are extremely limited in extent (less than 10 very small sites) within the Columbia Shuswap Regional District boundary. Management objective is eradication. *Species not found within IPMA and may not be found in CSISS region		
<ul style="list-style-type: none"> <li>- Bighead knapweed</li> <li>- Buffalobur*</li> <li>- Bur chervil*</li> <li>- Colt's foot*</li> <li>- Common bugloss</li> <li>- Cypress spurge</li> <li>- Field scabious*</li> <li>- Garlic mustard*</li> <li>- Giant hogweed*</li> <li>- Giant knotweed</li> </ul>	<ul style="list-style-type: none"> <li>- Gorse*</li> <li>- Greater knapweed*</li> <li>- Himalayan knotweed*</li> <li>- Hoary cress*</li> <li>- Japanese butterbur*</li> <li>- Longspine sandbur*</li> <li>- Nodding thistle*</li> <li>- North Africa grass*</li> <li>- Plumeless thistle*</li> <li>- Puncturevine*</li> </ul>	<ul style="list-style-type: none"> <li>- Russian knapweed*</li> <li>- Shiny geranium*</li> <li>- Short-fringed knapweed</li> <li>- Tansy ragwort*</li> <li>- Tree of heaven*</li> <li>- Wild chervil*</li> <li>- Wild parsnip</li> <li>- Wood sage*</li> </ul>
<b>ERADICATION or ANNUAL CONTROL</b> – Species are known in the IPMA but with limited distribution and/or significant potential to spread. Management objective is to control sites annually.		
<ul style="list-style-type: none"> <li>- Baby's breath</li> <li>- Blueweed</li> <li>- Bohemian knotweed</li> <li>- Common Tansy</li> <li>- Diffuse knapweed (BC)</li> </ul>	<ul style="list-style-type: none"> <li>- Hoary alyssum</li> <li>- Japanese knotweed</li> <li>- Knapweed spp. (BC)</li> <li>- Leafy spurge (BC)</li> <li>- Meadow knapweed (BC)</li> </ul>	<ul style="list-style-type: none"> <li>- Poison hemlock</li> <li>- Policeman's helmet</li> <li>- Scentless chamomile (BC)</li> <li>- Spotted knapweed (BC)</li> <li>- Teasel</li> </ul>
<b>CONTAINMENT</b> – Species are abundant (with no expectation of eradication) in certain portions of the IPMA but have not yet infested all potential habitats. Containment is the management objective. Treat all sites outside of containment lines.		
<p><b>Contain to gardens:</b></p> <ul style="list-style-type: none"> <li>- Butterfly bush</li> <li>- Common periwinkle</li> <li>- English holly</li> <li>- English ivy</li> <li>- Garden yellow loosestrife</li> </ul>	<ul style="list-style-type: none"> <li>- Goutweed</li> <li>- Mountain bluet</li> <li>- Orange hawkweed</li> <li>- Russian olive</li> <li>- Salt cedar/ Tamarisk</li> </ul>	<p><b>Contain to northern portion of IPMA:</b></p> <ul style="list-style-type: none"> <li>- Siberian elm</li> <li>- St. John's Wort (BC)</li> </ul>
<b>ESTABLISHED (BIOCONTROL OR SITE-SPECIFIC APPROACH)</b> – Widespread species beyond landscape-level control and/or have relatively low impact. May have biocontrol (BC) available. Treat based on land management objectives.		
<ul style="list-style-type: none"> <li>- Bull thistle (BC)</li> <li>- Burdock</li> <li>- Canada thistle (BC)</li> <li>- Caraway</li> <li>- Chicory</li> <li>- Common comfrey</li> </ul>	<ul style="list-style-type: none"> <li>- Curled dock</li> <li>- Dalmatian toadflax (BC)</li> <li>- Hound's tongue (BC)</li> <li>- Meadow buttercup</li> <li>- Oxeye daisy</li> </ul>	<ul style="list-style-type: none"> <li>- Purple loosestrife (BC)</li> <li>- Western goat's beard</li> <li>- Wormwood</li> <li>- Yellow hawkweed spp.</li> <li>- Yellow toadflax (BC)</li> </ul>
<b>INSUFFICIENT INFORMATION</b> – Insufficient information for these species on their distribution, impacts, potential for spread and/or feasibility of control. Further information is required.		
<ul style="list-style-type: none"> <li>- Bachelor's button</li> <li>- Black knapweed (BC)</li> <li>- Black locust</li> <li>- Brown knapweed</li> <li>- Carpet burweed</li> <li>- Creeping buttercup</li> <li>- Curly leaf pondweed</li> <li>- Dame's rocket</li> <li>- Eurasian water milfoil</li> <li>- Eyebright</li> <li>- Field bindweed</li> </ul>	<ul style="list-style-type: none"> <li>- Flat peavine</li> <li>- Fragrant water lily</li> <li>- Greater celandine</li> <li>- Green foxtail</li> <li>- Himalayan blackberry</li> <li>- Kochia</li> <li>- Lady's thumb</li> <li>- Marsh plume thistle</li> <li>- Meadow goat's beard</li> <li>- Nightshade</li> <li>- Queen Anne's Lace</li> </ul>	<ul style="list-style-type: none"> <li>- Rush skeletonweed (BC)</li> <li>- Russian thistle</li> <li>- Scotch broom</li> <li>- Scotch thistle</li> <li>- Spurge laurel</li> <li>- Sulphur cinquefoil</li> <li>- Sweet fennel</li> <li>- Wild four o'clock</li> <li>- Yellow archangel</li> <li>- Yellow flag iris</li> </ul>

BC – biocontrol