Revelstoke IPMA Priority Plant List

Reveisione ipivia priority		ithin the marine. Management chiesting is
to prevent the introduction and esta		thin the region. Management objective is
 Bighead knapweed Black henbane Buffalobur Bur chervil Colt's foot Common bugloss Field scabious Giant hogweed Gorse 	 Himalayan knotweed Hoary cress Japanese butterbur Longspine sandbur Nodding thistle North Africa grass Plumeless thistle Poison hemlock Puncturevine 	 Rush skeletonweed (BC) Russian knapweed Scotch thistle Short-fringed knapweed Spurge laurel Tansy ragwort Tree of heaven Wood sage Yellow flag iris
- Greater knapweed	es extremely limited in extent (less than	10 very small sites) within the Columbia
	Management objective is eradication.	To very sman sites, within the columbia
Cypress spurgeGarlic mustard	- Giant knotweed - Wild chervil	- Wild parsnip
	ited extent and/ or significant potential	
 Baby's breath Black knapweed (BC) Blueweed Bohemian knotweed Brown knapweed 	 areas with the ultimate goal of reducing Himalayan blackberry Hoary alyssum Japanese knotweed Leafy spurge (BC) Marsh plume thistle 	 Policeman's helmet Scotch broom Teasel Yellow archangel
		anagement objective is to prevent further containment lines and identification of
occurrences outside the line to contr		containment intes and identification of
Contain to gardens: - Butterfly bush - Common periwinkle - English holly	 Goutweed Mountain bluet Myrtle spurge Russian olive 	Contain to southern portion or IPMA: - Common tansy Contain to Revelstoke and Arrow
English ivyGarden yellow loosestrife	 Salt cedar/ Tamarisk Siberian elm 	Reservoirs: - Eurasian water milfoil
		ecific situations with certain high values
		is to reduce the invasive species impact.
locally or regionally, where resources		
 Bull thistle (BC) Burdock Canada thistle (BC) Caraway Chicory Common comfrey Dalmatian toadflax (BC) Diffuse knapweed (BC) 	 Hound's tongue (BC) Meadow buttercup Meadow goat's beard Meadow knapweed (BC) Orange hawkweed Oxeye daisy Purple loosestrife (BC) 	 Spotted knapweed (BC) St. John's Wort (BC) Sulphur cinquefoil Western goat's beard Wormwood Yellow hawkweed spp. Yellow toadflax (BC)
•		distribution, impacts, potential for spread
 and/or feasibility of control. Further Bachelor's button Black locust Carpet burweed Cheatgrass/downy brome Creeping buttercup Curly leaf pondweed Dame's rocket Eyebright 	 Field bindweed Flat peavine Fragrant water lily Greater celandine Green foxtail Kochia Lady's thumb 	 Nightshade Queen Anne's Lace Russian thistle Scentless chamomile (BC) Sweet fennel Wild four o'clock Woolly vetch

BC – biocontrol