Salmon Arm IPMA Priority Plant List

	not currently known in the IPMA and/	or within the region. Management
bjective is to prevent the introduc		
- Bighead knapweed	- Giant knotweed	- Nodding thistle
- Black henbane	- Gorse	- North Africa grass
- Buffalobur	- Greater knapweed	- Plumeless thistle
- Bur chervil	- Himalayan knotweed	- Puncturevine
- Colt's foot	- Hoary cress	- Spurge laurel
- Common bugloss	- Japanese butterbur	- Tansy ragwort
- Garlic mustard	- Longspine sandbur	- Wood sage
	cies extremely limited in extent (less than t boundary. Management objective is erac	
- Cypress spurge	- Russian knapweed	- Wild chervil
- Field scabious	- Short-fringed knapweed	- Wild parsnip
- Giant hogweed	- Tree of heaven	
	mited extent and/ or significant potential	to spread Management objective
	ew areas with the ultimate goal of reducir	
- Baby's breath	- Japanese knotweed	- Scotch broom
- Black knapweed (BC)	- Leafy spurge (BC)	- Scotch thistle
- Blueweed	- Poison hemlock	- Teasel
- Bohemian knotweed	- Policeman's helmet	- Yellow archangel
- Brown knapweed	- Rush skeletonweed (BC)	- Yellow flag iris
- Himalayan blackberry		
DNTAINMENT – Species is establis	hed or with high potential for spread. Mai	
rther expansion into new areas w	ithin the region through establishment of	containment lines and identification
occurrences outside the line to c	ontrol.	
Contain to gardens:	Contain to gardens Cont'd:	Contain to west portion of
- Butterfly bush	- Russian olive	IPMA (treat Seymour Arm and
- Common periwinkle	- Salt cedar/ Tamarisk	east portion of IPMA):
- English holly	- Siberian elm	- Common tansy
- English ivy	Contain to White Lake:	
- Garden yellow loosestrife	- Fragrant water lily	Contain to Shuswap/
- Goutweed	Contain to Crazy Creek RR:	Mara/White Lake:
- Mountain bluet	 Marsh plume thistle 	- Eurasian water milfoil
- Myrtle spurge		
ANAGEMENT – Species is more w	idespread but may be of concern in speci	
	agricultura grans Managament abiasti	
e.g., conservation lands, specific		ve is to reduce the invasive speci
e.g., conservation lands, specific pacts locally or regionally, where	resources are available.	
e.g., conservation lands, specific pacts locally or regionally, where - Bull thistle (BC)	resources are available. - Hound's tongue (BC)	- Queen Anne's Lace
e.g., conservation lands, specific pacts locally or regionally, where - Bull thistle (BC) - Burdock	resources are available. - Hound's tongue (BC) - Meadow buttercup	- Queen Anne's Lace - Spotted knapweed (BC)
e.g., conservation lands, specific pacts locally or regionally, where - Bull thistle (BC) - Burdock - Canada thistle (BC)	resources are available Hound's tongue (BC) - Meadow buttercup - Meadow goat's beard	 Queen Anne's Lace Spotted knapweed (BC) St. John's Wort (BC)
e.g., conservation lands, specific pacts locally or regionally, where - Bull thistle (BC) - Burdock - Canada thistle (BC) - Caraway	resources are available. - Hound's tongue (BC) - Meadow buttercup - Meadow goat's beard - Meadow knapweed (BC)	 Queen Anne's Lace Spotted knapweed (BC) St. John's Wort (BC) Sulphur cinquefoil
e.g., conservation lands, specific pacts locally or regionally, where - Bull thistle (BC) - Burdock - Canada thistle (BC) - Caraway - Chicory	resources are available. - Hound's tongue (BC) - Meadow buttercup - Meadow goat's beard - Meadow knapweed (BC) - Nightshade	 Queen Anne's Lace Spotted knapweed (BC) St. John's Wort (BC) Sulphur cinquefoil Western goat's beard
e.g., conservation lands, specific pacts locally or regionally, where - Bull thistle (BC) - Burdock - Canada thistle (BC) - Caraway - Chicory - Common comfrey	resources are available. - Hound's tongue (BC) - Meadow buttercup - Meadow goat's beard - Meadow knapweed (BC) - Nightshade - Orange hawkweed	 Queen Anne's Lace Spotted knapweed (BC) St. John's Wort (BC) Sulphur cinquefoil Western goat's beard Wormwood
e.g., conservation lands, specific pacts locally or regionally, where - Bull thistle (BC) - Burdock - Canada thistle (BC) - Caraway - Chicory - Common comfrey - Dalmatian toadflax (BC)	resources are available. - Hound's tongue (BC) - Meadow buttercup - Meadow goat's beard - Meadow knapweed (BC) - Nightshade - Orange hawkweed - Oxeye daisy	 Queen Anne's Lace Spotted knapweed (BC) St. John's Wort (BC) Sulphur cinquefoil Western goat's beard Wormwood Yellow hawkweed spp.
e.g., conservation lands, specific pacts locally or regionally, where - Bull thistle (BC) - Burdock - Canada thistle (BC) - Caraway - Chicory - Common comfrey - Dalmatian toadflax (BC) - Diffuse knapweed (BC)	resources are available. - Hound's tongue (BC) - Meadow buttercup - Meadow goat's beard - Meadow knapweed (BC) - Nightshade - Orange hawkweed	 Queen Anne's Lace Spotted knapweed (BC) St. John's Wort (BC) Sulphur cinquefoil Western goat's beard Wormwood
e.g., conservation lands, specific pacts locally or regionally, where - Bull thistle (BC) - Burdock - Canada thistle (BC) - Caraway - Chicory - Common comfrey - Dalmatian toadflax (BC) - Diffuse knapweed (BC) - Hoary alyssum	resources are available. - Hound's tongue (BC) - Meadow buttercup - Meadow goat's beard - Meadow knapweed (BC) - Nightshade - Orange hawkweed - Oxeye daisy - Purple loosestrife (BC)	 Queen Anne's Lace Spotted knapweed (BC) St. John's Wort (BC) Sulphur cinquefoil Western goat's beard Wormwood Yellow hawkweed spp. Yellow toadflax (BC)
e.g., conservation lands, specific pacts locally or regionally, where - Bull thistle (BC) - Burdock - Canada thistle (BC) - Caraway - Chicory - Common comfrey - Dalmatian toadflax (BC) - Diffuse knapweed (BC) - Hoary alyssum SUFFICIENT INFORMATION – Spe	resources are available. - Hound's tongue (BC) - Meadow buttercup - Meadow goat's beard - Meadow knapweed (BC) - Nightshade - Orange hawkweed - Oxeye daisy - Purple loosestrife (BC) cies have insufficient information on the	 Queen Anne's Lace Spotted knapweed (BC) St. John's Wort (BC) Sulphur cinquefoil Western goat's beard Wormwood Yellow hawkweed spp. Yellow toadflax (BC)
e.g., conservation lands, specific pacts locally or regionally, where - Bull thistle (BC) - Burdock - Canada thistle (BC) - Caraway - Chicory - Common comfrey - Dalmatian toadflax (BC) - Diffuse knapweed (BC) - Hoary alyssum SUFFICIENT INFORMATION – Spe read and/or feasibility of control.	resources are available. - Hound's tongue (BC) - Meadow buttercup - Meadow goat's beard - Meadow knapweed (BC) - Nightshade - Orange hawkweed - Oxeye daisy - Purple loosestrife (BC) cies have insufficient information on the Further information is required.	 Queen Anne's Lace Spotted knapweed (BC) St. John's Wort (BC) Sulphur cinquefoil Western goat's beard Wormwood Yellow hawkweed spp. Yellow toadflax (BC)
e.g., conservation lands, specific pacts locally or regionally, where - Bull thistle (BC) - Burdock - Canada thistle (BC) - Caraway - Chicory - Common comfrey - Dalmatian toadflax (BC) - Diffuse knapweed (BC) - Hoary alyssum SUFFICIENT INFORMATION – Sper read and/or feasibility of control. - Bachelor's button	resources are available. - Hound's tongue (BC) - Meadow buttercup - Meadow goat's beard - Meadow knapweed (BC) - Nightshade - Orange hawkweed - Oxeye daisy - Purple loosestrife (BC) cies have insufficient information on the Further information is required. - Eyebright	 Queen Anne's Lace Spotted knapweed (BC) St. John's Wort (BC) Sulphur cinquefoil Western goat's beard Wormwood Yellow hawkweed spp. Yellow toadflax (BC)
e.g., conservation lands, specific pacts locally or regionally, where - Bull thistle (BC) - Burdock - Canada thistle (BC) - Caraway - Chicory - Common comfrey - Dalmatian toadflax (BC) - Diffuse knapweed (BC) - Hoary alyssum SUFFICIENT INFORMATION – Spect read and/or feasibility of control. - Bachelor's button - Black locust	resources are available. - Hound's tongue (BC) - Meadow buttercup - Meadow goat's beard - Meadow knapweed (BC) - Nightshade - Orange hawkweed - Orange hawkweed - Oxeye daisy - Purple loosestrife (BC) cies have insufficient information on the Further information is required. - Eyebright - Field bindweed	 Queen Anne's Lace Spotted knapweed (BC) St. John's Wort (BC) Sulphur cinquefoil Western goat's beard Wormwood Yellow hawkweed spp. Yellow toadflax (BC) ir distribution, impacts, potential for the second sec
e.g., conservation lands, specific pacts locally or regionally, where - Bull thistle (BC) - Burdock - Canada thistle (BC) - Caraway - Chicory - Common comfrey - Dalmatian toadflax (BC) - Diffuse knapweed (BC) - Hoary alyssum SUFFICIENT INFORMATION – Spe read and/or feasibility of control. - Bachelor's button - Black locust - Carpet burweed	resources are available. - Hound's tongue (BC) - Meadow buttercup - Meadow goat's beard - Meadow knapweed (BC) - Nightshade - Orange hawkweed - Orange hawkweed - Oxeye daisy - Purple loosestrife (BC) cies have insufficient information on the Further information is required. - Eyebright - Field bindweed - Flat peavine	 Queen Anne's Lace Spotted knapweed (BC) St. John's Wort (BC) Sulphur cinquefoil Western goat's beard Wormwood Yellow hawkweed spp. Yellow toadflax (BC) ir distribution, impacts, potential f Lady's thumb Russian thistle Scentless chamomile (BC)
e.g., conservation lands, specific pacts locally or regionally, where - Bull thistle (BC) - Burdock - Canada thistle (BC) - Caraway - Chicory - Common comfrey - Dalmatian toadflax (BC) - Diffuse knapweed (BC) - Diffuse knapweed (BC) - Hoary alyssum SUFFICIENT INFORMATION – Spection read and/or feasibility of control. - Bachelor's button - Black locust - Carpet burweed - Cheatgrass/downy brome	resources are available. - Hound's tongue (BC) - Meadow buttercup - Meadow goat's beard - Meadow knapweed (BC) - Nightshade - Orange hawkweed - Orange hawkweed - Oxeye daisy - Purple loosestrife (BC) cies have insufficient information on the Further information is required. - Eyebright - Field bindweed - Flat peavine - Greater celandine	 Queen Anne's Lace Spotted knapweed (BC) St. John's Wort (BC) Sulphur cinquefoil Western goat's beard Wormwood Yellow hawkweed spp. Yellow toadflax (BC) ir distribution, impacts, potential f Lady's thumb Russian thistle Scentless chamomile (BC)
e.g., conservation lands, specific pacts locally or regionally, where - Bull thistle (BC) - Burdock - Canada thistle (BC) - Caraway - Chicory - Common comfrey - Dalmatian toadflax (BC) - Diffuse knapweed (BC) - Diffuse knapweed (BC) - Hoary alyssum SUFFICIENT INFORMATION – Spectre and/or feasibility of control. - Bachelor's button - Black locust - Carpet burweed - Cheatgrass/downy brome - Creeping buttercup	resources are available. - Hound's tongue (BC) - Meadow buttercup - Meadow goat's beard - Meadow knapweed (BC) - Nightshade - Orange hawkweed - Orange hawkweed - Oxeye daisy - Purple loosestrife (BC) cies have insufficient information on the Further information is required. - Eyebright - Field bindweed - Flat peavine - Greater celandine - Green foxtail	 Queen Anne's Lace Spotted knapweed (BC) St. John's Wort (BC) Sulphur cinquefoil Western goat's beard Wormwood Yellow hawkweed spp. Yellow toadflax (BC) ir distribution, impacts, potential f Lady's thumb Russian thistle Scentless chamomile (BC) Wild four o'clock
e.g., conservation lands, specific pacts locally or regionally, where - Bull thistle (BC) - Burdock - Canada thistle (BC) - Caraway - Chicory - Common comfrey - Dalmatian toadflax (BC) - Diffuse knapweed (BC) - Diffuse knapweed (BC) - Hoary alyssum SUFFICIENT INFORMATION – Spectre and/or feasibility of control. - Bachelor's button - Black locust - Carpet burweed - Cheatgrass/downy brome	resources are available. - Hound's tongue (BC) - Meadow buttercup - Meadow goat's beard - Meadow knapweed (BC) - Nightshade - Orange hawkweed - Orange hawkweed - Oxeye daisy - Purple loosestrife (BC) cies have insufficient information on the Further information is required. - Eyebright - Field bindweed - Flat peavine - Greater celandine	 Queen Anne's Lace Spotted knapweed (BC) St. John's Wort (BC) Sulphur cinquefoil Western goat's beard Wormwood Yellow hawkweed spp. Yellow toadflax (BC) ir distribution, impacts, potential f Lady's thumb Russian thistle Scentless chamomile (BC)

BC – biocontrol

Updated April 2024